


KTMB | Multi-range cable grommets

for cable diameters 2.5 - 33 mm / IP54 / UL Type 12



The KTMB grommets accept a wide range of cable diameters. A great benefit when the exact cable diameter is not known in advance.

The KTMB grommets are not split and therefore only usable for cables without connectors.

The model range KTMB small covers a diameter range from 2.5 to 16 mm, the model range KTMB large covers a diameter range from 13 to 33 mm.



Specifications


IP rating (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Advantages & benefits

- Ideal for wiring non pre-terminated cables locally
- Easy storage

Product types & sizes


KTMB-A



Part No.	41432
EAN	4251269307188
Package quantity	10
For max. no. of cables	1
Colour	grey (similar RAL 7035)
Length	21 mm
Width	21 mm


Height	19 mm
Mounting height	2 mm
For cable type	Round cable
Clamping range	1 x 2.5 - 6.5 mm

KTMB-B




Part No.	41434
EAN	4251269307195
Package quantity	10
For max. no. of cables	1
Colour	grey (similar RAL 7035)
Length	21 mm
Width	21 mm

Height	19 mm
Mounting height	2 mm
For cable type	Round cable
Clamping range	1 x 4 - 7.5 mm

KTMB-C


Part No. **41436**
 EAN **4251269307201**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 6.5 - 10 mm**

KTMB-D


Part No. **41438**
 EAN **4251269307218**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 9.5 - 13 mm**

KTMB-E


Part No. **41440**
 EAN **4251269307225**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 13 - 16 mm**

KTMB-G


Part No. **41460**
 EAN **4251269307232**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **41,5 mm**
 Width **40,5 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 13 - 18 mm**

KTMB-H


Part No. **41465**
 EAN **4251269307249**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **41,5 mm**
 Width **40,5 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 18 - 23 mm**

KTMB-I

Part No. **41470**
 EAN **4251269307256**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **41,5 mm**
 Width **40,5 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 23 - 28 mm**


KTMB-J

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41475
4251269307263
10
1
grey (similar RAL 7035)
41,5 mm
40,5 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 28 - 33 mm

KTMB-K

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41480
4251269307270
10
2
grey (similar RAL 7035)
41,5 mm
40,5 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
2 x 13 - 18 mm

icotek[®]
smart cable management