

QTMB | Multi-range cable grommets for QUICK systems

for cable diameters 14 - 29 mm / IP54



The QTMB range for pre-terminated cables is used with the following cable entry frames:

- [KEL-QUICK](#)
- [QVT-CLICK](#)

The innovative membrane enables the routing of cables with diameters that can vary up to 3 mm.

For the first time, utilising the QTMB, even large cables with cable diameters from 14 to 29 mm can be routed.

[ST-B Plugs](#) can be used for sealing the grommets if cables have been removed.

IP54

HL3
EN 45545-2

ECOLAB
certified

UV
ISO 4892-2A

PNEUMATICS

RoHS
compliant

REACH
COMPLIANCE

Made in
Germany

Specifications


| | |
|-----------------------|-----------------------------|
| IP rating (EN 60529) | IP54 |
| Material | Elastomer |
| Flame class | UL94-V0, self-extinguishing |
| Operating temperature | -40 C° to 100 C° |
| Properties | silicone free, halogen free |

Advantages & benefits

- Routing of cables with and without connectors
- Only 7 grommets cover a clamping range from 14 to 29 mm
- Innovative wave cut for a better sealing
- Innovative membrane for high flexibility


Product types & sizes

QTBG




| | | | |
|------------------|--------------------------------|-----------------|-------------|
| Part No. | 42545 | Mounting height | 2 mm |
| EAN | 4251269321634 | Blank grommet | 1 |
| Package quantity | 10 | | |
| Colour | grey (similar RAL 7035) | | |
| Length | 40 mm | | |
| Width | 39 mm | | |
| Height | 17 mm | | |

QTMB 14-17




| | | | |
|------------------------|--------------------------------|-----------------|-----------------------|
| Part No. | 42515 | Height | 17 mm |
| EAN | 4251269321603 | Mounting height | 2 mm |
| Package quantity | 10 | For cable type | Round cable |
| For max. no. of cables | 1 | Clamping range | 1 x 14 - 17 mm |
| Colour | grey (similar RAL 7035) | | |
| Length | 40 mm | | |
| Width | 39 mm | | |

QTMB 16-19


Part No. **42516**
 EAN **4251269321986**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **40 mm**
 Width **39 mm**

Height **17 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 16 - 19 mm**

QTMB 18-21


Part No. **42517**
 EAN **4251269321610**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **40 mm**
 Width **39 mm**

Height **17 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 18 - 21 mm**

QTMB 20-23


Part No. **42518**
 EAN **4251269321627**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **40 mm**
 Width **39 mm**

Height **17 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 20 - 23 mm**

QTMB 22-25


Part No. **42519**
 EAN **4251269322723**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **40 mm**
 Width **39 mm**

Height **17 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 22 - 25 mm**

QTMB 24-27

Part No. **42520**
 EAN **4251269322730**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **40 mm**
 Width **39 mm**

Height **17 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 24 - 27 mm**

QTMB 26-29

Part No. **42521**
 EAN **4251269322747**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **40 mm**
 Width **39 mm**

Height **17 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 26 - 29 mm**

