


KT | Cable grommets, grey

for cable diameters 1 - 35 mm / IP66 / IP68 / UL Type 12/4X*



Cable grommets KT small are used with the following cable entry components:

- [KEL cable entry frames](#)
- [KVT split cable glands](#)

In combination with [KEL-ER cable entry frames](#) and [KVT-ER cable glands](#) the KT single-hole grommets enable a sealing of the cables with up to IP66 / IP68 and UL Type 4X*.

The model range KT small is designed for cable diameters from 1 to 17 mm. Cable grommets KT large accept a wide range of cable diameters from 13 to 35 mm.

When installing the small grommets in multiple rows, the flat sides should be facing each other. This allows the flat sides to match up and provide a secure seal.

*4X for indoor use only



Specifications


IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (UL 50E)	UL Type 12, UL Type 4X*
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Advantages & Benefits

- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- High strain relief in accordance with EN 62444 when a suitable cable entry is selected
- Available for a large range of cable diameters
- Greatly increased cable density when using [double or quadruple grommets](#)

Product types & Sizes


BTK gy



Part No.	41251
EAN	4251269306686
Package quantity	10
Color	gray (similar RAL 7035)
Length	21 mm
Width	21 mm


Height	19 mm
Mounting height	2 mm
For cable type	Round cable
Blank grommet	1

KT 1 gy



Part No.	39941
EAN	4251269318146
Package quantity	10
For max. no. of cables	1
Color	gray (similar RAL 7035)
Length	21 mm
Width	21 mm

Height	19 mm
Mounting height	2 mm
For cable type	Round cable
Clamping range	1 x 1 - 2 mm


KT 2 gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

39934
4251269306280
10
1
gray (similar RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 2 - 3 mm


KT 3 gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

41203
4251269306389
10
1
gray (similar RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 3 - 4 mm


KT 4 gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

41204
4251269306396
10
1
gray (similar RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 4 - 5 mm


KT 5 gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

41205
4251269306402
10
1
gray (similar RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 5 - 6 mm


KT 6 gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

41206
4251269306419
10
1
gray (similar RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 6 - 7 mm


KT 7 gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

41207
4251269306426
10
1
gray (similar RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 7 - 8 mm


KT 8 gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

41208
4251269306433
10
1
gray (similar RAL 7035)
21 mm
21 mm


Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 8 - 9 mm

KT 9 gy


Part No. **41209**
 EAN **4251269306440**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 9 - 10 mm**

KT 10 gy


Part No. **41210**
 EAN **4251269306457**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 10 - 11 mm**

KT 11 gy


Part No. **41211**
 EAN **4251269306464**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 11 - 12 mm**

KT 12 gy


Part No. **41212**
 EAN **4251269306471**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 12 - 13 mm**

KT 13 gy


Part No. **41213**
 EAN **4251269306488**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 13 - 14 mm**

KT 14 gy

Part No. **41214**
 EAN **4251269306495**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 14 - 15 mm**

KT 15 gy


Part No. **41215**
 EAN **4251269306501**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 15 - 16 mm**

BTG gy


Part No. **41252**
 EAN **4251269306693**
 Package quantity **10**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Blank grommet **1**

KTG 13 gy


Part No. **41263**
 EAN **4251269331947**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 13 - 14 mm**

KTG 14 gy


Part No. **41264**
 EAN **4251269331954**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 14 - 15 mm**

KTG 15 gy


Part No. **41265**
 EAN **4251269331961**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 15 - 16 mm**

KT 16 gy


Part No. **41216**
 EAN **4251269306518**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 16 - 17 mm**

KT 17 gy


Part No. **41217**
 EAN **4251269306525**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 17 - 18 mm**

KT 18 gy


Part No. **41218**
 EAN **4251269306532**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 18 - 19 mm**

KT 19 gy


Part No. **41219**
 EAN **4251269306549**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 19 - 20 mm**

KT 20 gy


Part No. **41220**
 EAN **4251269306556**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 20 - 21 mm**

KT 21 gy


Part No. **41221**
 EAN **4251269306563**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 21 - 22 mm**

KT 22 gy


Part No. **41222**
 EAN **4251269306570**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 22 - 23 mm**

KT 23 gy


Part No. **41223**
 EAN **4251269306587**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 23 - 24 mm**

KT 24 gy


Part No. **41224**
 EAN **4251269306594**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 24 - 25 mm**

KT 25 gy


Part No. **41225**
 EAN **4251269306600**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 25 - 26 mm**

KT 26 gy


Part No. **41226**
 EAN **4251269306617**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 26 - 27 mm**

KT 27 gy


Part No. **41227**
 EAN **4251269306624**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 27 - 28 mm**

KT 28 gy


Part No. **41228**
 EAN **4251269306631**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 28 - 29 mm**

KT 29 gy


Part No. **41229**
 EAN **4251269306648**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 29 - 30 mm**

KT 30 gy


Part No. **41230**
 EAN **4251269306655**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 30 - 31 mm**

KT 31 gy


Part No. **41231**
 EAN **4251269316784**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 31 - 32 mm**

KT 32 gy


Part No. **41232**
 EAN **4251269306662**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 32 - 33 mm**

KT 33 gy

Part No. **41233**
 EAN **4251269316791**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 33 - 34 mm**

KT 34 gy

Part No. **41234**
 EAN **4251269306679**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 34 - 35 mm**

